### PRICE SCHEDULE

(For Goods Offered from Abroad)

PROCURING ENTITY : PHILIPPINE CHILDREN'S MEDICAL CENTER						NAME OF BIDDER :			
INVIT	INVITATION TO BID NO. : IB-2023-143								
1	2	3	4	5	6	7	8	9	10
Qty	Item	Description (Brand / Make / Model)	Country of Origin	Manufacturer	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 1 x 6)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 1 x 9)
One (1) Lot	Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System								
	Total ABC = Php 3,000,000.00								
•	Bids will be valid for one hundred twenty (120) days and it shall remain binding upon us and may be accepted at any time before the expiration of that period;					TERMS OF 1 (For discounts be		ere's any. Otherwis	se, state "NONE"):
•	• PCMC has the right to reject any or all bids without offering any reason, waive any required formality and award the contract to any bidder whose proposals as evaluated by PCMC is the most advantageous to the government.					NAME AND S	IGNATURE OF A	AUTHORIZED RE	PRESENTATIVE

### PRICE SCHEDULE

(For Goods Offered from within the Philippines )

PROCU	PROCURING ENTITY : PHILIPPINE CHILDREN'S MEDICAL CENTER						NAME OF BIDDER :			
INVITATION TO BID NO. : IB-2023-143										
1	2	3	4	5	6	7	8	9	10	11
Qty	Item	Description (Brand / Make / Model)	Country of Origin	Manufacturer	Unit Price EXW per item	Transportation and all other costs incidental to delivery, per item	sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Price, per unit (col 6+7+8+ 9)	Total Price delivered Final Destination (col 10) x (col 1)
One (1)	Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System Total ABC = Php									
	3,000,000.00									
•	Bids will be valid for one hundred twenty (120) days and it shall remain binding upon us and may be accepted at any time before the expiration of that period;					TERMS OF I (For discounts b		ere's any. Otherw	vise, state ''NONE''):	
	PCMC has the right to reject any or all bids without offering any reason, waive any required formality and award the contract to any bidder whose proposals as evaluated by PCMC is the most advantageous to the government.						NAME AND SI	IGNATURE OF A	AUTHORIZED RA	EPRESENTATIVE



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER Bids and Awards Committee Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: <u>bac@pcmc.gov.ph</u> Trunkline: 8588-9900 local 361/355 Telefax No.: 8924-0870

## **SECTION I**

## Invitation to Bid

One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER

Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: <u>officeofthedirector@pcmc.gov.ph</u> Trunk Line: 8588-9900 to 20 Direct Line: 8924-6601

#### **INVITATION TO BID**

IB-2023-143

One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System

 The Philippine Children's Medical Center (PCMC) through the COB CY 2023 intends to apply the sum of Three Million Pesos (Php 3,000,000) being the Approved Budget for the Contract (ABC) to payments under the following Invitation to Bid. Bids received in excess of the ABC shall be automatically rejected at bid opening.

ITEM DESCRIPTION	Approved Budget for the Contract	Cost of Bidding Documents
One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System	3,000,000.00	5,000.00

- 2. The Philippine Children's Medical Center (PCMC) now invites bids for the above-mentioned projects. Delivery of the Goods is required as stated in Section VI Delivery of Requirements. Bidders should have completed, within the past three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
  - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from PCMC and inspect the Bidding Documents at the address given below during office hours.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders starting November 14, 2023 upon payment of the applicable fee stated above. It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of PCMC, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.
- 6. The Philippine Children's Medical Center will hold a Pre-Bid Conference on November 22, 2023 at 10:00 A.M. through video conferencing via Zoom Application (Meeting ID: 933 3882 7696 Passcode: 290281) which shall be open to prospective bidders.
- Bids must be duly received through manual submission on or before December 4, 2023 at 1:30 P.M., Guard-on-Duty, 3<sup>rd</sup> Floor, Procurement Division Area, PCMC Main Building. Late bids shall not be accepted.

PhilHealth Accredited



. 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14. 9. Bid opening shall be on December 4, 2023, 2:00 P.M. 3rd Floor, Procurement Division Area, PCMC Main Building. Bids will be opened in the presence of the Bidders' representatives who choose to attend at the afore-mentioned venue. In compliance to social distancing and to support the government's effort to mitigate, if not contain the transmission of COVID-19, we will strictly allow only one authorized representative per bidder company to enter the venue during opening of bids. Provided further, that said authorized representative shall follow PCMC's safety protocol by wearing face mask and face shield and shall pass the triage areas as required prior entering PCMC Premises. 10. The Philippine Children's Medical Center (PCMC) reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders. 11. For further information, please refer to: **Procurement Division** 3rd Floor, Procurement Division PCMC Main Building Quezon Avenue, cor. Agham Road Quezon City Trunkline: 8588-9900 Loc. 361/355/226 Official Mobile No.: 0917-8423248 Fax Number: 924-0870 Email: pcmcbac@gmail.com 12. You may visit the following websites: For downloading of Bidding Document: www.pcmc.gov.ph www.philgeps.gov.ph November 14, 2023 FRANCIS S. DELA CUESTA, RN, MAN Chairperson, Bids & Awards Committee IB-2023-143 | Audio Visual Equipment and Portable Public Address System Page 2 of 2



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER Bids and Awards Committee Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: <u>bac@pcmc.gov.ph</u> Trunkline: 8588-9900 local 361/355 Telefax No.: 8924-0870

## **SECTION II**

## Instructions to Bidders

### One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System

#### 1. Scope of Bid

The Philippine Children's Medical Center (PCMC) wishes to receive Bids for the following Project/s:

<b>IB NUMBER</b>	ITEM DESCRIPTION	TOTAL ABC
IB-2023-143	One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System	3,000,000.00

The above Procurement Projects, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for COB CY 2023 in the amount of Three Million Pesos (Php 3,000,000.00).
- 2.2. The source of funding is:
  - a. GOCC and GFIs, the Corporate Operating Budget.

#### **3.** Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

#### 5.2.

- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or

- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: [Select either failure or monopoly of bidding based on market research conducted]
    - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies*] of the ABC for this Project; and
    - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

#### 8. **Pre-Bid Conference**

The Philippine Children's Medical Center will hold a Pre-Bid Conference on November 22, 2023 at 10:00 A.M. through video conferencing via Zoom Application (Meeting ID: 933 3882 7696 Passcode: 290281) which shall be open to prospective bidders.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### **10.** Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **the past three (3) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

#### 13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign

currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *120 calendar days*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Use of indelible ink <u>color blue</u> shall be used by the authorized signatory in signing the required forms. *Strictly NO using of staple wire and thick materials for tab* 

The First (1<sup>st</sup>) Envelope, shall contain the <u>Technical Component</u> accomplished in two (2) sets, each set filed in a folder

The Second (2<sup>nd</sup>) Envelope, shall contain the <u>Financial Component</u> accomplished in three (3) sets, each set filed in a folder <u>including the issued USB Flash Drive</u> (Section VIII. (Financial Component Envelope No. 2. Note)

#### All copies should be certified as true copy

COLOR CODING OF FOLDE	BLUE	
LABEL ON THE ENVELOPE/S: Name of PROCURING ENTITY Name of CONTRACT TO BE BID IB Number DATE of Bid Opening Name of the Bidder Company Address of the Bidder Company	(original and > Financial Co	omponent Requirements

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### **17.** Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **18.** Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 3 - One Project having several items, which shall be awarded as separate contracts per item.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

#### **CONFORME:**

Authorized Signatory (Signature over printed name)

Contact No:

Name of Company/Firm

Company's Official Email Address (where notices will be sent) Company's Official Contact No.



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER Bids and Awards Committee Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: pcmcbac@gmail.com Trunkline: 8588-9900 local 361/355 Telefax No.: 8924-0870

## **SECTION III**

## **Bid Data Sheet**

One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System

#### ITB Clause 5.3 For this purpose, contracts similar to the Project shall be: a. Supply and delivery of: Audio Visual System b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids. Subcontracting is not allowed. 7.1 12 The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos. 14.1 The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: **Bid Security Amount in Bid Security** cash, cashier's/ manager's check, bank draft/ Amount in IB No. Total ABC **Item Description** guarantee or irrevocable letter of credit (2% of Surety Bond (5% of ABC) ABC) One (1) Lot Supply, Delivery, Installation and Testing of Audio IB-2023-143 3,000,000.00 60.000.00 150,000.00 Visual Equipment and Portable Public Address System 19.3 **IB NUMBER ITEM DESCRIPTION** TOTAL ABC One (1) Lot Supply, Delivery, Installation and Testing of Audio IB-2023-143 3,000,000.00 Visual Equipment and Portable Public Address System The Lowest Calculated Bidder shall submit the following documentary requirements within a 20.2 non-extendible period of *five (5) calendar days* from receipt of the notification that contain the following (ARRANGED, NUMBERED AND TABBED) [Strictly NO using of staple wire and thick materials for tabs]: 1. Latest Income (BIR Form No. 1701-Q /1702-Q) and Business Tax Returns (BIR Form No. 2550-Q) filed and paid through the BIR Electronic Filing (EFPS) within the last three (3) months 2. Certificate of Performance in letterhead of their clients indicating the contact numbers and email addresses signed by the authorized head of the Department from three (3) clients of the bidder issued within the last six (6) months prior to bid opening. Note: Certification issued by PCMC – Materials Management Division must be included if bidder had done business with us. Certification of which should be of same category (e.g. equipment/supplies) of project being bided. 3. Registration Certificate from the Department of Trade and Industry (DTI) or Securities and Exchange Commission (SEC), whichever may be appropriate under existing laws of the Philippines 4. Mayor's/Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located or the equivalent document for Exclusive Economic Zones or Areas. CY 2022 Audited Financial Statements and Income Tax Returns filed and taxes paid 5 through the BIR Electronic Filing and Payment System (EFPS)

### **Bid Data Sheet**

6.	Duly notarized Certificate as Principal Manufacturer or Exclusive Distributor/ Authorized Dealer from the Principal Manufacturer
7.	Current and Valid Certificate of Manufacturer's compliance with ISO and/or other Standards/Conformance /Safety Requirements for the equipment or its equivalent
8.	Duly notarized Certificate from Principal Manufacturer/ Distributor that the brand has been present for at least five (5) years in the local/ international market and model being bided is currently in use in the local/international market with at least one (1) installation in the Philippines, preferably within NCR area (Please specify and submit supporting documents)
9.	Certificate from the Principal Manufacturer duly notarized from country of origin:
	i. All the terms and conditions stated in the bidding documents per IRR of RA 9184 and corresponding contract for the project shall be honored by the Principal Manufacturer, including in the event that a change of dealership will occur during the duration of the contract up to the warranty and preventive maintenance period;
	<li>ii. The expected useful life of the equipment under normal use (indicate normal capacity, i.e. number of patients, operating hours, other considerations);</li>
	<li>iii. Guarantee on availability of all spare parts, accessories and consumables at least for the next five (5) years from testing, commissioning, acceptance and delivery;</li>
	iv. That it has competence in handling and providing technical support as well as maintenance of the equipment being offered; and
	v. Consumer guidelines regarding disposal of the equipment (Information about how and where the used and decommissioned products/ parts can be returned for recycling and/ or disposal (e.g. buy-back program of the product after end of useful life).
10.	Duly notarized Certificate from Bidder:
	i. That parts, accessories and consumables are readily available at the authorized Philippine service center/s for a period of five (5) years after the warranty period;
	ii. That it has available competent in-house technical specialists in handling and providing technical support as well as maintenance of the equipment being offered;
	iii. That it will conduct training for proper operation and maintenance to end-users of the equipment upon delivery; and
	iv. That it will provide replacement/back-up unit while the delivered unit is being repaired.
11.	The Recurring and Maintenance Costs (use of Form DOBA – PCMC – RMF8 is required), if applicable
12.	List of Consumables (PARTS/ACCESSORIES/SUPPLIES) [use of Form DOBA – PCMC – LCF9 is required], if applicable

	13. Section II. Instructions to Bidders with signature (conforme) on all pages
	14. Section III. Bid Data Sheet with signature (conforme) on all pages
<ol> <li>Section IV. General Conditions of the Contract with signature (conforme) pages</li> </ol>	
	<ol> <li>Section V. Special Conditions of the Contract with signature (conforme) on all pages</li> </ol>
	17. Other appropriate licenses and permits required by law and stated in the Bidding Documents
	Failure of the Bidder declared as LCB to duly submit the requirements stated above or a finding against the veracity of such shall be ground for forfeiture of the bid security and disqualify the Bidder for award.
21.2	No additional contract documents relevant to the Project

#### **CONFORME:**

Authorized Signatory (Signature over printed name)

Contact No:

Name of Company/Firm

Company's Official Email Address (Where notices will be sent)

Company's Official Contact No.



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER Bids and Awards Committee Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: pcmcbac@gmail.com Trunkline: 8588-9900 local 361/355 Telefax No.: 8924-0870

**SECTION IV** 

# General Conditions of Contract

One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

[Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. *{[Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}* 

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:] or Framework Agreement}* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 Revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

#### **CONFORME:**

Authorized Signatory (Signature over printed name)

Contact No:

Name of Company/Firm

Company's Official Email Address (where notices will be sent)

Company's Official Contact No.



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER Bids and Awards Committee Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: pcmcbac@gmail.com Trunkline: 8588-9900 local 361/355 Telefax No.: 8924-0870

## **SECTION V**

# Special Conditions of Contract

### One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System

### **Special Conditions of Contract**

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	For Goods Supplied from Abroad "The delivery terms applicable to the Contract are DDP delivered to PCMC. In accordance with INCOTERMS."
	For Goods Supplied from Within the Philippines, "The delivery terms applicable to this Contract are delivered to PCMC. Risk and title will pass from the Supplier to PCMC upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	The details of shipping and/or other documents to be furnished by the Supplier are as follows:
	For Goods supplied from within the Philippines:
	Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:
	<ul> <li>(i) Current and Valid Certificate of Manufacturer's compliance with ISO and/or other Standards/Conformance /Safety Requirements for the equipment;</li> </ul>
	(ii) Original copy of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
	<ul> <li>(iii) Original copy of the Manufacturer's and/or Supplier's warranty certificate on parts and services, including accessories starting from final acceptance;</li> </ul>
	(iv) Original copy of Certification of Availability of Replacement/ Back-up unit while the provided unit/s is/are being repaired.
	(v) Original copy of Certificate of Calibration, Testing and Adjustment
	(vi) Original copy of certificate of preventive maintenance during the warranty period.
	(vii) Original copy of certificate of attendance on conducted training to end-users and Engineering Personnel for proper operation and maintenance of the equipment.
	(viii) Original and two (2) copies in English Language:
	a. User's Manual (Hard copy)
	b. Operation's Manual (hard copy)
	c. Service Manual with CD Diagram
	(ix) Original Copy of Certification as locally manufactured
	For Goods supplied from abroad:
	Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:

(i)	Original copy of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
(ii)	Original copy of the Manufacturer's and/or Supplier's warranty certificate on parts and services, including accessories starting from final acceptance
(iii)	Original copy of Certification of Availability of Replacement/ Back-up unit while the provided unit/s is/are being repaired.
(iv)	Original copy of Certificate of Calibration, Testing and Adjustment
(v)	Original copy of certificate of preventive maintenance during the warranty period.
(vi)	Original copy of certificate of attendance on conducted training to end-users and Engineering Personnel for proper operation and maintenance of the equipment.
(vii)	Original and two (2) copies of:
	a. User's Manual in English language,
	b. Operation's Manual (hard copy)
	c. Service Manual with CD Diagram
(viii	) Copy of Proof of Payment of Import Duties from Bureau of Customs / Bill of Lading.
	proposes of this Clause the Procuring Entity's Representative at the Project Site is the ty and Supply Section / Procurement Section.
	upplier is required to provide all of the following services, including additional services, if pecified in Section VI. Schedule of Requirements:
b. c.	performance or supervision of on-site assembly and/or start-up of the supplied Goods; furnishing of tools required for assembly and/or maintenance of the supplied Goods; furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
d.	performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
service	ontract price for the Goods shall include the prices charged by the Supplier for incidental es and shall not exceed the prevailing rates charged to other parties by the Supplier for r services.
Spare	Parts –
	upplier is required to provide all of the following materials, notifications, and information ning to spare parts manufactured or distributed by the Supplier:
Select	appropriate requirements and delete the rest.
р	uch spare parts as the Procuring Entity may elect to purchase from the Supplier, rovided that this election shall not relieve the Supplier of any warranty obligations nder this Contract; and
b. ii	n the event of termination of production of the spare parts:
	i. advance notification to the Procuring Entity of the pending termination, in

sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the

blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for at least for the next five (5) years from testing, commissioning, acceptance and delivery;

Spare parts or components shall be supplied as promptly as possible, but in any case for a period of five (5) years after the warranty period;

#### Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect

	from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	The terms of payment shall be as follows : Thirty to Forty-Five $(30 - 45)$ calendar days from submission of documentary requirements
3	Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security.
4	The inspections and tests that will be conducted are:
	1) Upon delivery, the Goods shall undergo preliminary physical inspection by the Inspection Team of the PROCURING ENTITY to ascertain the physical condition and acceptability of the Goods.
	2) The supplier shall promptly replace the equivalent quantity of Goods taken as samples without cost to the PROCURING ENTITY.
5	The obligation of the winning bidder for the warranty shall be covered by retention money required of under R.A. Sec. 62.1., equivalent to five percent (5%) of every progress payment.
	The said amount shall only be released after the lapse of the warranty period specified in Section VII Technical Specification; provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.

#### **CONFORME:**

Authorized Signatory (Signature over printed name)

Contact No:

Name of Company/Firm

Company's Official Email Address (where notices will be sent)

Company's Official Contact No.



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER Bids and Awards Committee Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: pcmcbac@gmail.com Trunkline: 8588-9900 local 361/355 Telefax No.: 8924-0870

## **SECTION VI**

# Schedule of Requirements

## One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<b>IB NUMBER</b>	IB NUMBER ITEM DESCRIPTION	
IB-2023-143	One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System	3,000,000.00

Delivery Site	PCMC Requirement DELIVERY PERIOD	Bidder's Offer ( <u>within the</u> <u>acceptable period</u> )
Materials and Management Division G/F PCMC, Quezon Avenue, cor. Agham Road Quezon City	Within Fifteen (15) Calendar days upon receipt of Purchase Order/Notice to Proceed	

#### **DELIVERY AND ACCEPTANCE**

- The supplier should deliver the goods called for in the Purchase Order (PO) within the Delivery Period, as offered, upon receipt of approved Purchase Order (PO) through faxed or personally received during office hours at the Procurement Division.
- All goods delivered pursuant to the Purchase Order (PO) shall be subject to acceptance and inspection by the end-user as well as by the House Inspector and of the Resident Auditor or their representatives. Goods delivered not in conformity with specifications shall be rejected and the contractor held in default.

#### **CONFORME:**

Authorized Signatory (Signature over printed name)

Contact No:

Name of Company/Firm

Company's Official Email Address (where notices will be sent) Company's Official Contact No.



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER Bids and Awards Committee Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: pcmcbac@gmail.com Trunkline: 8588-9900 local 361/355 Telefax No.: 8924-0870

## **SECTION VII**

# Technical Specifications

## One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER Bids and Awards Committee Quezon Avenue, Quezon City 1100 website: <u>www.pcmc.gov.ph</u> email: pcmcbac@gmail.com Trunkline: 8588-9900 local 361/355 Telefax No.: 8924-0870

## **SECTION VIII**

## Checklist of Technical and Financial Documents

One (1) Lot Supply, Delivery, Installation and Testing of Audio Visual Equipment and Portable Public Address System

### **Checklist of Technical and Financial Documents**

The Bidder shall submit the following <u>TECHNICAL COMPONENT ENVELOPE</u> (ARRANGED, NUMBERED AND TABBED) [Strictly NO using of staple wire and thick materials for tabs] as enumerated below:

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

#### Legal Documents

- 1. Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR
  - Note: For the purpose of updating the Certificate of Registration and Membership, all Class "A" eligibility documents mentioned in this section supporting the veracity, authenticity and validity of the Certificate shall remain current and updated. The failure by the prospective bidder to update its Certificate with the current and updated Class "A" eligibility documents shall result in the automatic suspension of the validity of its Certificate until such time that all of the expired Class "A" eligibility documents has been updated (per GPPB Resolution No. 15-2021).

#### Technical Documents

- 2. Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. (Use of Form No. DOBA-PCMC-SCF3b is required)
- 3. Single Largest Completed Contract (SLCC) similar to the contract to be bid *(Refer to BDS ITB Clause 5.3)*, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 Revised IRR of RA No. 9184, within three (3) years prior to bid opening *(use of Form No. DOBA-PCMC-SCF3a is required)*
- 4. Original copy of Bid Security (**Refer to BDS Clause 14.1**). If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of the Notarized Bid Securing Declaration
- 5. Duly accomplished and signed Production/ Delivery Schedule using the form as provided for in Section VI
- 6. Duly accomplished and signed Technical Specification using the form as provided for in Section VII
  - i. Signed conforme on the attached Engineering Clearance
  - ii. Brochures/sales literature reflecting the technical specifications
  - iii. Affidavit of Site Inspection (use of Form no. DOBA-PCMCSIF22 is required)
- 7. Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. *(Use of the Form provided is required)*

8. The prospective bidder's computation of the Net Financial Contracting Capacity (NFCC) must be at least equal to the ABC to be bid (*Use of Form No. DOBA–PCMC– NFF4 is required*)

#### <u>OR</u>

a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, it must be at least equal to 10% of the ABC

#### **Class "B" Documents**

9. If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence (*Use of Form No. DOBA-PCMC-JVF6 is required*).

#### <u>OR</u>

Duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful

Other documentary requirements under RA NO. 9184 (as applicable):

- i. [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product
- ii. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity

The Bidder shall submit the following **FINANCIAL COMPONENT ENVELOPE** (ARRANGED, NUMBERED AND TABBED) [Strictly NO using of staple wire and thick materials for tabs] as enumerated below:

#### II. FINANCIAL COMPONENT ENVELOPE

- 1. Duly accomplished and signed Financial Bid Form
- 2. Duly accomplished and signed Price schedule (use applicable forms)
  - i. Use the form "*For Goods offered from within the Philippines*" if bidder is offering goods from within the Philippines.
  - ii. Use the form "For Goods offered from abroad" if bidder is offering goods from Abroad.

#### Note: Bidder shall <u>include the PCMC issued USB Flash Drive in the Financial</u> <u>Component Envelope</u> (Original Folder) containing the FOLLOWING:

- a. soft copy of their accomplished <u>Technical Specifications</u> (in <u>EXCEL</u> format)
- b. **SCANNED copy (in PDF Format) of <u>ALL</u>** the required documents under Section VIII. Checklist of Technical and Financial Documents

#### **CONFORME:**

Authorized Signatory (Signature over printed name)

Contact No:

Name of Company/Firm

Company's Official Email Address (where notices will be sent) Company's Official Contact No.

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

			PCMC REQUIREMENT	BIDDERS' OFFER TO COMPLY WITH THE PCMC REQUIREMENTS
QTY	UNIT		Item Description	
1	lot		y, Delivery, Installation and Testing of Audio Visual ment and Portable Public Address System	
		I. AUD	IO VISUAL EQUIPMENT FOR BOARD ROOM	
		_	ifications of the Main Equipment	
1	pc		1. Digital Conference System Master	
			Power supply: 12V DC	
			Sensitivity: -105 dBm	
			S/N Ratio: >90 dB	
			T.H.D:<0,05% @ 1 KHz	
			Working distance: ≥100 m	
			Frequency channels: 4x64	
1			Brand/Model: 2. Chairman's Unit	
1	unit			
			LCD screen: Channel, IP, Battery Percentage, Local IP and Mode	
			Power supply: DC4.5V (1.5V AA * 3) batteries / Rechargeable	
			Transmission Power: 10mW	
			Max. frequency deviation: + - 45 kHz	
			Microphone Type: Unidirectional Condenser Microphone	
			Sensitivity: -45 + -2 dB / 1kHz	
			Frequency response: 20 Hz - 18 kHz	
24	unit		Brand/Model: 3. Delegate's Unit	
			Power supply: DC 4,5 V	
			Microphone core: Condenser, Ultra-Cardioid	
			Sensitivity: -43±3 dB @ 1 kHz	
			Frequency response: 30 Hz - 18 kHz	
			Working time: 18 hours	
			Brand/Model:	
1	set		4. Dual Wireless Microphone	
			Simoultaneous System per Band (12 systems per band)	
			Analog/Digital	
			Frequency Range: 542 - 572MHz	
			Operating Range: 300ft. Line-of-sight	
			Frequency Response: 50Hz-15kHz	
			2 Microphones included: Type (Dynamic), Polar Pattern	
			Channel Selection: Auto/Manual	
			Receiver: Displays (LED)	
			Receiver: Outputs (1x XLR, 1 x 1/4")	
			Brand/Model:	
1	pc		5. AC Power Sequencer with Display	
	<u> </u>		230V AC @ 60HZ	
			8 x AC Output (Back)	
			1 x AC Output (Front)	
			LCD Power Indication	
2	pair		Brand/Model: 6. Passive Speaker	
2	pan		Full-Range speaker configuration	
			Power Handling: 2 Hours- 20 W Program, 80 W Peak	
			1 ower Handning. 2 Hours- 20 w Hograni, 60 w Feak	

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

				PCMC REQUIREMENT	BIDDERS' OFFER TO COMPLY WITH THE PCMC REQUIREMENTS
QTY	UNIT			Item Description	
1	lot		- ·	Delivery, Installation and Testing of Audio Visual ent and Portable Public Address System	
				Impedance: 16 ohms (Transformer Bypassed)	
				Full-Range Driver: 1x 2.25"/ 5.71 cm Cone	
				Frequency Range: 83 Hz to 19 kHz-10 dB	
				Frequency Response: 95 Hz to 16 kHz-3 dB	
				Recommended High-Pass Filter: 85 Hz, 24 dB/Octave	
				I/O Connectors: 1 x Euroblock 6-Pin Speaker Input/Thru	
				Max. Wire Gauge: 14 AWG/ 2.5 mm	
				Brand/Model:	
1	pc			Analog Mixer with USB Interface	
				Mixing channels: 12	
				Inputs: 10x XLR, 12x 6.3mm jack	
				Outputs: 2x XLR, 2x 6.3mm jack	
				Headphone output: 6.3mm jack	
				FX: 16x Effects: (1) Hall1 (2) Hall2 (3) Room1 (4) Room2 (5) Room3 (6) Platereverb1 (7) Platereverb2 (8) Platereverb3 (9) Chorus (10) Flange (11) Delay1 (12) Delay2 (13) Chorus/Room1 (14)	
				Chorus/Room2 (15) Bypass (16) Rotaryspeaker EQ: 3 band with HPF	
				Phantom power	
				USB: 16 bit / 48kHz	
				Signal to Noise ratio: -127dBu ±5dBu Mic Pre Equivalent Input Noise	
				Frequency response: 20 Hz $-$ 20 kHz $\pm$ 2dB	
				Display: 12 segment Level LED with power and phantom power indicator	
				Dimensions (H x W x D): At least 80 x 400 x 369 mm	
				Weight: At least 5.2kg	
1	pc			Brand/Model: Contractor Power Amplifier	
	P			Max power rating	
				Mono bridge at 8 ohms	
				Mono bridge at 4 ohms	
				Frequency Response of 50Hz to 50kHz	
		$\left  \right $		Input Sensitivity: 1.02 V	
		$\vdash$		Input Impedance (Bal/ Unbal) 20K ohms/ 10K ohms	
		$\vdash$		Controls: Power on/off switch, ch 1 & ch 2 gain.	
		$\vdash$		Input connector: XLR and barrier strip	
		$\vdash$		Output connector: Barrier strip w/ plastic cover	
		$\vdash$		Power requirement: 230V AC, @ 60HZ	
		$\vdash$	_	Automatic dual-speed, high-efficiency cooling fan	
				Brand/Model:	
		B. Ac	B. Accessories Per Unit		
1	pc			Equipment Rack - Mobile	
				Heavy duty construction	
				12U equipment space	
				10U, ratcheting mixer rails	
				Tough 3/8" plywood and ABS laminate panels	
				4" swivel casters including two locking style	

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

			PCMC REQUIREMENT	BIDDERS' OFFER TO COMPLY WITH THE PCMC REQUIREMENTS
QTY	UNIT		Item Description	
1	lot	`	y, Delivery, Installation and Testing of Audio Visual ment and Portable Public Address System	
			Recessed butterfly latches and padded flip handles	
			Large steel ball corners	
			18.25" equipment rack depth	
			Rack size: At least Length: 25.75", Width: 21.25", Height: 34.50"	
26	set		2. Battery with charger (4 pcs. Per set)	
			Battery Size: AA	
			Capacity: up to 2000mAh	
			Cycles/Recharges: up to 300-500 times	
			Storage Life: Holds 70% charge up to 10 years	
			Low Temp Rating: Down to -4 degF	
			Chemistry: LSD NiMh	
			Recyclable: Yes	
			Voltage: 1.5V	
			Charger Specifications: Input: AC220V a.c 50HzOutput: 2 x (2.8V DC 130mA) 2 x (2.8V DC 50mA) 2 x (9V DC 11mA)Charging Time: AA/AAA - 5 HOURS 9V BLOCK-14-16 HOURS =Specification: allow 2-4 pcs.	
2	pc		Brand/Model: 3. Universal SRK Rack Drawer 2Unit	
	1		Fully enclosed drawer with spring-loaded latches	
			Heavy-duty smooth glide drawer slides	
			Rear cable grommet	
			Four mounting points	
			50lb of weight capacity	
			Cold rolled steel plate construction	
			Lock knockout, lock and key included	
			Metal black brushed, anodized finish	
			19" universal rack drawers	
			Rack size At least (3.5" x 19" x 15.43")	
1	roll		4. Transparent Speaker Cable	
			Stranded (105 x 0.11 mm)	
			Bare Oxygen Free Copper (OFC)	
		$\left  \right $	Parallel conductors with low contamination	
		$\left  \right $	Transparent Plastic Insulation · 100-meters	
3	pcs		5. Conference System Tour Case Box for Chairman and Delegate	
5	pes		Units	
			Heavy duty case	
			Caster wheels	
			Rack size: At least Length: 29.5", Width: 44.75", Height: 30"	
			6. Interconnectors - Patch Panel and Connectors	
			7. AVR (with rated capacity for the unit)	
1	unit		a. AVR For the Digital Conference System Master Brand/Model:	
1	unit		b. AVR For the AC Power Sequencer with Display	
1	unit		Brand/Model: c. AVR For the Contractor Power Amplifier	
1	unit		Brand/Model:	

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

			PCMC REQUIREMENT	BIDDERS' OFFER TO COMPLY WITH THE PCMC REQUIREMENTS	
QTY	UNIT		Item Description		
1	lot		Delivery, Installation and Testing of Audio Visual ent and Portable Public Address System		
		II. AUDI	O EQUIPMENT FOR FUNCTION HALL AREA 1-5		
			ications of the Main Equipment		
20	unit	1.	Ceiling Speaker		
			Frequency Response: 90 Hz to 20 kHz, +/- 4 dB		
			Power Handling: Thru Mode 50W, Transformer Taps 30W, 15W,7.5W, 3.75W, 1.9W(70V), 100V Capable		
			Sensitivity: 89 dB SPL, 1m, 1W (8 ohms Nominal in Thru Mode)		
			Components: 6.5" (16.51cm) Woofer with 1" (2.54cm) VC, PP Cone and Rubber Surround, 3/4" (1.9 cm) Soft Dome Tweeter Croosover Frequency: 4 kHz		
			Underwriters Laboratories Compliant		
			Brand/Model:		
5	unit	2.			
			Output Power: 2x 150W, 2x 350W @ 70v or 100v		
			Automatic dual-speed high frequency cooling fan		
			Rear panel detented gain controls		
			Stereo, bridge, or parallel operating modes		
			External Line Return and barrier strip inouts		
			External Line Return inouts and outputs for easy pass through in multi- amp setups		
			Full short-circuit, temperature and DC offset protection		
			Barrier strip connection determines output mode- 25v, 70v, 100v and low impedance outputs available simultaneously		
			Toroidal output transformers provide full electrical isolation and meet worldwide safety standard		
			Built-in 45 Hz subsonic filter prevents speaker transformer saturation with minimal effect on program material		
			Frequency Response: 50Hz-50kHz		
			Power requirement: 230V AC, @ 60HZ		
1	unit	2	Brand/Model: Microphone Mixer		
1	unit	5.	*		
			24- Total Line Inputs		
			Mic/ Line Inputs: 24- Balanced 1/4" TRS Phone Inputs		
			24- Balanced XLR Mic Inputs		
			Stereo Line Inputs: 2-LR Stereo Paired 1/4" TRS Phone		
			AUX Sends: 6-1/4" TRS Phone		
			AUX Returns: 2-L/R Stereo Paired 1/4" TRS Phone		
			AUX Outputs: 6-1/4" TRS Phone		
			Main Outputs: L/R Balanced 3-pin XLR male		
			Monitor Output: L/R 1/4" TRS Phone		
			2 Trk Input: L/R RCA Phono jacks		
			Mute & Solo on all channels		
			Channel Level Control: 100mm Faders		
			Trim/ Gain Control: Sealed Rotary Potentiometers		
			Phantom Power: +48 Volt		
			Frequency Response: External Line Return input to any output: 20 Hz to kHz, +)/-1dB		
			Power Supply: Universal Mains input 230V AC, @ 60HZ		
			Brand/Model:		

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

				PCMC REQUIREMENT	BIDDERS' OFFER TO COMPLY WITH THE PCMC REQUIREMENTS
QTY	UNIT			Item Description	
1	lot			Delivery, Installation and Testing of Audio Visual ent and Portable Public Address System	
5	unit	4.		4. Graphic Equalizer	
				Input Connectors: 1/4" TRS, female XLR (pin 2 hot)	
				Electronically balanced/ unbalanced, RF filtered	
				Balanced 40k ohm, unbalanced 20k ohm	
				Max Input: >+21dBu balanced or unbalanced	
				CMRR: >40dB, typically >55dB at 1kHz	
				1/4" TRS, male XLR (pin 2 hot) connectors	
				Bandwidth: 20Hz to 20 kHz, +.5/-1dB	
				Frequency Response: <10Hz to >50kHz, +0.5/-3dB	
				Dynamic Range: 108dB	
				Bypass Switch: graphic equalizer section in the signal path	
				Low cut Switch: Activates the 50Hz 12dB/ octave high-pass filter	
				Range Switch: Select either +/-6dB or +/-12dB slider boost/ cut range	
				Operating Voltage: 230V AC, @ 60HZ	
				Power Connector: IEC receptacle	
				Brand/Model:	
5	unit		5.	Wireless Microphone	
				*Receiver Specification: * Channel- Dual	
				Chassis: EIA-Standard 19" 1/2U	
				Receiving Mode: Diversity	
				Frequency Range: UHF 480-934MHZ	
				Antenna: Rear Panel, Detachable	
				Preset Channels: 112 preset channels	
				Frequency Response: 50Hz-18kHz, with high pass filter	
				Max. Output Level: 2-Level Switch, Line & Mic	
				Power Supply: External AC Adapter, 12-15V DC, 1A, 230V AC / 60HZ	
				Hand Held Transmitter Specification:	
				Frequency Range: UHF 480-934 MHz	
				Bandwidth: 24 MHz	
				Channel Set-up: ACT Sync	
				RF Output Power: 10mW/ 30mW (switchable)	
				LCD Display: Group, Channel, Battery status & error codes	
				Max. SPL: 140 dB SPL	
				Battery Type: (2) AA alkaline rechargeable	
				Current Consumption: Approx. 92 mA	
				Brand/Model:	
3	unit		6.	Wired Microphone	
				Industry-Standard Live Vocal Mic	
				Tonally Tailored for Voice Clarity	
				Cardioid Pattern Lowers Stage Noise	
				Internal Shockmount Cuts Handling Noise	
				Reduces Wind and Vocal Plosives	
				Tour-Worthy Rugged Construction	
				XLR Output Connector	
				Includes Storage Pouch and Mic Clip	

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

				PCMC REQUIREMENT	BIDDERS' OFFER TO COMPLY WITH THE
QTY	UNIT lot			Item Description	PCMC REQUIREMENTS
1				Delivery, Installation and Testing of Audio Visual ent and Portable Public Address System	
				Frequency Range: 50 Hz to 15 kHz	
				Off-Axis Rejection:	
				2 dB at 60 degree	
				10 dB at 120 degree	
				20 dB at 180 degree	
				Impedance: 300 Ohms	
				Sensitivity: -56 dBV/ Pa at 1 kHz	
				Output Connectors (Analog: 1x XLR 3-Pin Male (on Mic)	
				Brand/Model:	
		B. A		ories Per Unit	
1	pc		1.	Equipment Rack - Mobile	
				Heavy duty construction	
				12U equipment space	
				10U, ratcheting mixer rails	
				Tough 3/8" plywood and ABS laminate panels	
				4" swivel casters including two locking style	
				Recessed butterfly latches and padded flip handles	
				Large steel ball corners	
			2.	Audio Cable - wire: 1 roll (100 meters), Connectors, Wall plate	
			3.	<b>AVR</b> (with rated capacity for the unit)	
1	unit			a. AVR For the Power Amplifier	
		m	POR	Brand/Model: TABLE PUBLIC ADDRESS SYSTEM	
				ications of the Main Equipment	
2	unit		_	Column Speaker with caster wheel	
				Compact, small and high SPL	
				Max. SPL 125dB (peak)	
				Bi-amp module of CLASS D	
				Bluetooth connection available	
				Frequency Response (-3db) 45Hz-18kHz	
				Input Connertors: Three channel balanced input XLR/6.35#TRS#RCA	
				Total Power: 550W(RMS): 1100W(Music):2200W(peak)	
				Mid frequencies: 200W	
				Low frequencies 350W	
				Power consumption(static): 28W	
		<u> </u>			
				Power consumption (rated): 400W	
1	set		2.	Brand/Model: Wireless Microphone	
				EM-XSW 1 Dual-Channel Receiver	
		-		2 x SKM 825-XSW Handheld Transmitters	
		<u> </u>		2 x MZQ 1 Microphone Clips	
				4 x AA Rechargeable Batteries w/ charger	
		<u> </u>		Includes NT 12-5 CW Power Supply	
		<u> </u>			
				80 Hz to 14 kHz Frequency Response	
		<u> </u>		2 x Internal Antenna	
				2 x Audio Channels	

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

				PCMC REQUIREMENT	BIDDERS' OFFER TO COMPLY WITH THE PCMC REQUIREMENTS
QTY	UNIT			Item Description	
1	lot			Delivery, Installation and Testing of Audio Visual ent and Portable Public Address System	
				Audio IN/ OUT: 2 x XLR 3-pin Male Balanced Mic/ Line Output, 2 x 1/4" TS Balanced Mic/ Line Output	
				Gain Range: 45 dB (5 dB steps)	
				Power Requirements: AC/DC Power Adapter	
				Wireless Technology: Analog UHF	
				No. of RF Channel Frequencies - 80	
				Max Transmitter per Band - 10	
				Brand/Model:	
		B. A		ories Per Unit	
				Audio - cable wire: 1 roll (100 meters); Color: Black & Red speaker wire; Connector: XLR Connector (Male & Female)	
				Automatic Voltage Regulator 230V AC @ 60HZ (2 pcs.) (With rated capacity for the unit)	
	1	-		O VISUAL EQUIPMENT FOR LOBBY	
-		A. SI		cations of the Main Equipment	
6	pcs		1.	Mid/High Modular Line Array Loudspeaker	
				Frequency Response (+/-3 dB)155 Hz - 12 kHz	
				Frequency Range (-10 dB)100 Hz - 16 kHz	
				Nominal Dispersion145° H x 20° V	
				Long-Term Power Handling300 W (1200 W peak)	
				Sensitivity (SPL / 1 W @ 1 m)88 dB SPL	
				Maximum SPL @ 1 m113 dB SPL (119 dB SPL peak)	
				Nominal Impedance8	
6				Brand/Model:	
6	pcs			Pitch Lock Upper Bracket	
				Type: Wall Mount Bracket.	
				Compatibility: Bose Panaray MA12, MA12EX.	
				Material: Steel.	
				Load Capacity: 20 lbs.	
				Dimensions: 3" x 1.5" x 3.8" (wall mount), 0.9" x 1.6" x 9.1" (speaker mount)	
2			2	Brand/Model:	
3	pcs			Digital Amplifier	
				Number of Channels 2	
				Power Rating 2 x 600 W per Channel 1 x 1200 W Bridged	
				Load Impedance / Voltage Stereo: 4 / 8 Ohms per Channel Stereo: 70 / 100 V per Channel Bridged: 2 / 4 Ohms	
				Mains Voltage: 230V AC, @ 60HZ	
				Mains Connector Standard IEC (C14)	
				Protections Vpeak/Vrms limiters, high temperature, output short, extra high frequency (EHF), excessively low or high AC line voltage	
				Brand/Model:	
1	pc	_	4.	Digital Loudspeaker Processors	
				48 kHz sample rate, 24-bit 256x over-sampled Delta-Sigma AD, DA	
				USB A & B ports for memory storage and computer interface (PC and Mac)	
				XLR inputs and outputs, AES-EBU digital input	
				+24 dBu inputs and outputs	
		1		Phantom power +48 volt	

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

		PIDDEDS' OFFED TO COMPLY WITH THE			
QTY	UNIT			Item Description	BIDDERS' OFFER TO COMPLY WITH THE PCMC REQUIREMENTS
1	lot	_		Delivery, Installation and Testing of Audio Visual ent and Portable Public Address System	
				Built-in signal generator (white, pink, sine)	
				Easy preset and system updates via Internet	
				Fully adjustable crossover points	
				Easy-to-read LCD screen	
				Features per input: 27-band graphic eq autograph® algorithm for automatic EQ settings, compressor/limiter, delay (340 ms)	
				Features per output: crossover/bandpass filter (butterworth, bessel, linkwitz-riley), parametric eq (5-band, hp, lp notch, horn eq, all-pass), compressor/limiter, delay with polarity inversion	
				2 input/6 output loudspeaker DSP management system	
				Weight: At least 7.00 lbs. (3.175 kg)	
				Dimensions: At least 4" x 23.62" x 11.75" (W x H x D)	
			_	Brand/Model:	
1	pc		5.	16 Channel Professional Effects Mixers with USB and Effects	
				Number of Analog Input Channels 16	
				Number of Mic Preamps 11	
				Analog Output Channels 1 x Stereo Master Output 1 x Stereo Control Room/Monitor Output 1 x Mono FX Send Output 1 x Stereo Headphone Output	
				Meters Main Meter: 2 x 12-Segment LED	
				Meter Range Main Meter: -30 dB to +15 dB Plus Peak/Clip	
				GigFX effects engine delivers 24 effects including reverbs, delays, and choruses	
				11 Mackie Onyx mic preamps deliver clear signal and 60dB of gain	
				3 Band EQ and 100Hz low-cut filter on all channels	
				48-volt phantom power on all mic channels	
				24-bit/192kHz A/D for unmatched audio quality	
				USB for playback music and recording into your computer	
				Balanced XLR and balanced/unbalanced outputs	
1				Brand/Model:	
1	pc		0.	Alternating Current Power Sequencer with Display	
				230V AC @ 60HZ	
				8 x AC Output (Back)	
				1 x AC Output (Front)	
				LCD Power Indication. Brand/Model:	
		B. A	ccess	ories Per Unit	
1	pc		1.	Equipment Rack - Mobile	
				Heavy duty construction.	
				12U equipment space.	
				10U, ratcheting mixer rails.	
		$\square$		Tough 3/8" plywood and ABS laminate panels.	
				4" swivel casters including two locking style.	
				Recessed butterfly latches and padded flip handles.	
				Large steel ball corners.	
		$\vdash$		18.25" equipment rack depth.	
				Rack size: At least Length: 25.75", Width: 21.25", Height: 34.50"	
4	roll		2		
4	roll		2.	Transparent Speaker Cable	

#### TECHNICAL SPECIFICATIONS IB-2023-143

**Instruction:** 

Accomplish this form by presenting a clear statement of your offer. <u>Please write the specific, precise and complete</u> <u>statement</u> which complies with the required specifications. <u>DO NOT write "COMPLY"</u> or the page numbers of the brochure/data sheet, etc.

			PCMC REQUIREMENT	BIDDERS' OFFER TO COMPLY WITH THE
QTY	UNIT		Item Description	PCMC REQUIREMENTS
1	lot		ply, Delivery, Installation and Testing of Audio Visual ipment and Portable Public Address System	
			Stranded (105 x 0.11 mm)	
			Bare Oxygen Free Copper (OFC)	
			Parallel conductors with low contamination	
			Transparent Plastic Insulation · 100-meters	
1	lot		3. Interconnectors - Patch Panel and Connectors	
1	lot		4. Patch Panel - Input / Output Port	
1	101		3. AVR (with rated capacity for the unit)	
1			a. AVR for the Digital Amplifier	
1	unit		Brand/Model:	
1			a. AVR For the Alternating Current Power Sequencer with Display	
1	unit		Brand/Model:	
		VC	AFETY REQUIREMENTS:	
			The unit will be operated at 230 volts, strictly at 60 hertz ( <i>If the unit/s is 50/60Hz, provide UPS with frequency converter when needed</i> )	
		2.	Power consumption (must be clearly stipulated)	
		3.	Mechanical parts should be of heavy-duty type	
		4.	Equipment should be maintainable	
		5.	Certificate of Calibration, Testing and Adjustment must be provided	
		VI.	SCOPE OF WORK	
		1.	The supplier shall deliver, install and test all audio equipment and	
			materials necessary for the replacement and upgrade of the audio system at	
			the Board Room, Portable Public Address System, Function Hall 1-5 and	
			Lobby.	
			-	
			a. Audio Visual Equipment for Board Room	
			Labor for installation	
			b. Audio Equipment for Function Hall 1-5	
			Labor for installation	
			c. Audio Equipment for Lobby	
			i. Labor for installation	
1	lot		PVS Pipes and Juntion Boxes, Flexible Hose and Cable Management	
1	roll		Wiring and Piping	
1	lot		Speaker Installation and Setup Sound System	
1	lot		Tuning / Testing / Commissioning	
		VII.	OTHERS	ļ.
			All materials needed for the installation of Audio Visual Equipment shall	
			be provided by the contractor.	
			WARRANTY	
		1.	With at least two (2) years warranty on parts and services	

PCMC has the right to reject any or all bids without offering any reason, waive any required formality and award the contract to any bidder whose proposals as evaluated by PCMC is the most advantageous to the government.

#### NAME OF COMPANY

ADDRESS

SIGNATURE OVER PRINTED NAME

TELEPHONE / FAX NO.