

Republic of the Philippines

PHILIPPINE CHILDREN'S MEDICAL CENTER

Quezon Avenue, Quezon City

Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332

Fax No.: 85889997 • E-mail: pcmcproc@gmail.com

PURCHASE ORDER: 77849

2025-01-28 Date of P.O: Dated: 2024-09-17

PR NO: PATHO-RTU-2025-14

MODE OF PROCUREMENT: PB (Goods)

TO: Supplier/Dealer Contractor: ABBOTT LABORATORIES

8/F Venice Corporate Center, #8 Turin Street, McKinley Town Center, Fort Bonifacio, Taguig City / Address:

ADDPhilsCustSup@abbott.com / juneangell.agustin@abbott.com / 0917-8883275

Security Bond Amount P. Security Bond Amount P.		made: I	Material	on/Section/Unit where delivery Delivery period: 7 Work Section/Unit where delivery Performance Security F	osted:	erms:
One (1) Lot Supply and Delivery of reagents/consumables under Reagent Tie-up Agreement for three (3) years for Methotrexate MACHINE TO BE PROVIDED: One (1) unit Fully Automated Analyzer for Methotrexate determination with colored touch screen monitor that can analyze samples using Chemiluminescence Technology Specifications: 1.) Sample volume requirement: 10-150 uL average 62 uL 2.) Maximum throughput: up to 100 test/hour 3.) Capable of automatic dilution with bubble clot detection 4.) Reagent stability is 30 days 5.) Capable of storing up to 50,000 sample results 6.) Temperature of Clinical Chemistry Section: 20-27 deg. celsius		_				
One (1) Lot Supply and Delivery of reagents/consumables under Reagent Tie-up Agreement for three (3) years for Methotrexate MACHINE TO BE PROVIDED: One (1) unit Fully Automated Analyzer for Methotrexate determination with colored touch screen monitor that can analyze samples using Chemiluminescence Technology Specifications: 1.) Sample volume requirement: 10-150 uL average 62 uL 2.) Maximum throughput: up to 100 test/hour 3.) Capable of automatic dilution with bubble clot detection 4.) Reagent stability is 30 days 5.) Capable of storing up to 50,000 sample results 6.) Temperature of Clinical Chemistry Section: 20-27 deg. celsius	_					
				reagents/consumables under Reagent Tie-up Agreement for three (3) years for Methotrexate MACHINE TO BE PROVIDED: One (1) unit Fully Automated Analyzer for Methotrexate determination with colored touch screen monitor that can analyze samples using Chemiluminescence Technology Specifications: 1.) Sample volume requirement: 10-150 uL average 62 uL 2.) Maximum throughput: up to 100 test/hour 3.) Capable of automatic dilution with bubble clot detection 4.) Reagent stability is 30 days 5.) Capable of storing up to 50,000 sample results 6.) Temperature of Clinical Chemistry Section: 20-27 deg. celsius		
	1	16	kit	Methotrexate Reagent, 1 x 100tests, 100 tests/kit" Abbott" \	200,000.00	
Abbott"	2	6	kit	Pre-Trigger Solution, 4 x 1000mL, 9000 tests/kit "Abbott" 、	6,497.00	38,982.0
2 6 kit Pre-Trigger Solution, 4 x 1000mL, 9000 tests/kit 6,497.00 38,982.	3	1.	kit	Probe Conditioning Solution, 4 x 25mL, 1000 tests/kit "Abbott"	7,125.69	
Abbott" Representation of the state of the	4	2 -	kit	Reaction Vessels, 4000/box, 1000 tests/kit "Abbott"		
Abbott" Abbott" Pre-Trigger Solution, 4 x 1000mL, 9000 tests/kit Abbott" kit Probe Conditioning Solution, 4 x 25mL, 1000 tests/kit Abbott" Reaction Vessels, 4000/box, 1000 tests/kit "Abbott" Polymer Trigger Solution, 4 x 1000mL, 9000 tests/kit 7,125.69 7,125.69 7,125.69 7,125.69 7,125.69 7,125.69 7,125.69 7,125.69 7,125.69 8,366	5		kit.	Sample Cups, 1000's/box, 1000 tests/kit "Abbott"		
Abbott" Abbott" Reaction Vessels, 4000/box, 1000 tests/kit "Abbott" kit Reaction Vessels, 4000/sox, 1000 tests/kit "Abbott" kit Sample Cups, 1000's/box, 1000 tests/kit "Abbott" 4,127.00, 8,254				Trigger Solution, 4 x 1000mL, 3000 tests/kit "Abbott" \		
Abbott" Abbott"				Wash Buffer, 4 x 1000mL, 1000 tests/kit "Abbott" 、	17.626.16	
Abbott" Abbott" Abbot						
Abbott" Abbott"				Methotrexate Control Kit 1mL, 50 tests/kit "Abbott" \		
Abbott" Abbott" Reaction Vessels, 4000/box, 1000 tests/kit "Abbott" Kit. Sample Cups, 1000's/box, 1000 tests/kit "Abbott" Trigger Solution, 4 x 1000mL, 3000 tests/kit "Abbott" Kit. Sample Cups, 1000's/box, 1000 tests/kit "Abbott" Kit. Trigger Solution, 4 x 1000mL, 3000 tests/kit "Abbott" Kit. Methotrexate Calibrator Kit 1mL, 27 tests/kit "Abbott" Kit. Methotrexate Control Kit 1mL, 50 tests/kit "Abbott" Reaction Vessels, 4000/box, 1000 tests/kit "Abbott" A,127.00, 8,254 A,186.00, 12,558 A,186.00, 12,558 A,186.00, 12,558 A,186.00, 12,558 A,186.00, 12,558	10	5 _	kit、	Methotrexate Y, Z Control Kit, 2x 8mL, 25 tests/kit "Abbott"	5,386.81	26,934.
Abbott" According Solution, 4 x 25mL, 1000 tests/kit "Abbott" According Solution, 4 x 25mL, 1000 tests/kit "Abbott" According Solution, 4 x 25mL, 1000 tests/kit "Abbott" According Solution, 4 x 1000 tests/			í	I .	f .	1





Republic of the Philippines

PHILIPPINE CHILDREN'S MEDICAL CENTER

Quezon Avenue, Quezon City

Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332 PR NO:

Fax No.: 85889997 • E-mail: pcmcproc@gmail.com

PURCHASE ORDER: 77849

Date of P.O: 2025-01-28

Dated: 2024-09-17

PATHO-RTU-2025-14

MODE OF PROCUREMENT: PB (Goods)

TO: Suppli	er/Dealer Contractor:	ABBOTT LABORATORIES							
Address:	8/F Venice Corpor	ate Center, #8 Turin Street	, McKinley Town Center, Fort Bonifacio, Taguig City /						
	ADDPhilsCustSup@abbott.com / juneangeli.agustin@abbott.com / 0917-8883275								

	AD	DPhilsCu	stSup@abbott.com / juneang	eli.agustin@ab	bott.co	m / 09:	17-8883275	
Departn	nent/Of	fice/Divisio	on/Section/Unit where delivery	Delivery pe	riod: 7 W	orking	Days Other Te	erms:
Is to be	made:	Material	s Management Division	Performanc				
Location			Floor, PCMC Bldg	∟ Cash				
Special	Instruct			No:			Amou	nt P:
Item No	QTY	UNIT	ARTIC	LES			UNIT COST	TOTAL COST
11	3 (kit	Multi-Assay Manual Diluent, 100 x 100mL, 25 test/kit "Ab		"Abbott"		7,078.02	21,234.06
			xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	logy Division One (1) year expiration				3,453,071.52 (Three Million Four Hundred Fifty Three Thousand Seventy One Pesos And Fifty Two
	1				FARE	1		Centavos
			- CONFORME TO THE ATTACH	EU TERMS OF REFER	ENCE -		/	
	1							
			-1			1		
		1 1						
	1					1		
						1		
	(1		
	}					1		1
	1					1		
]							
	1					1		1
	1					1		1
						1		
	ł		ł			- 1		
	1		1					
	1		(
	1							
	1							1
	1					1		
			atisfactory Deliveries: .%) of the cost of unperformed portion for every d	day of delay. Once the	1. Staggere	d Delivery/		
			ages reaches 10% of the amount of the contract, , without prejudice to other courses of action and		2. Delivery Quantity/Da		fect upon receipt of Deli	very Confirmation of
under the c	ircumstanc	es.			3. Delivery	is within 7	Working Days upon re-	ceipt of Delivery
			third parties, through alternative mode of procure formance security equal to 5% of the undelivere			s the right	to reject or cancel any it	
					justifiable a Governmen		able ground where the av	ward will not benefit the
Funding	Code		0.7	/ 1			AMOUNT P	3.453.071.52
ariaring	Couc	1-03	2-03-080 / md/11	31/3				,,
FUNDS	ΔΥΔΙΙΔ	RI F: -D 1	473 071. 12 Attachment				CERTIFICA	TION
01403	T V AILA	0 1 17 6	PR No: PATHO-	RTU-2025-14		This is to	certify that I receiv	ed today the Original
	13	Va Wm		vass/Bids: AB-202		copy of t	his Purchase Order,	and held the
	W	M month	LIBAC Resolution	No: B2025-00-04	11 .	Compan	y bound by the term	is and stipulation of

□ NOA No: 2025-043
□ NTP No: 2025-101
□ PhilGEPS Ref No: 11543768 the contract and other laws applicable LEA M. VILLALOBOS, DBA, CPA Chief Accountant APPROVED MAMRP No. Ma & John Maria Eva I. Jopson MD, MSCHSM, MPM Signature over printed name OIC Executive Director Date: Distribution: Original -Attachment to payment Duplicate -Procurement/Materials Management Division

2/2



Republic of the Philippines DEPARTMENT OF HEALTH PHILIPPINE CHILDREN'S MEDICAL CENTER

Quezon Avenue, Quezon City 1100
website: www.pcmc.gov.ph email: officeofthedirector@pcmc.gov.ph
Trunk Line: 8588-9900 to 20 Direct Line: 8924-6601

NOTICE TO PROCEED NTP-PROC-2025-101

January 28, 2025

ABBOTT LABORATORIES

8th Floor, Venice Corporate Center No. 8 Turin Street, McKinley Town Center Fort Bonifacio, Taguig City Tel No.: 632-8222688

Sir/Madam:

This is to inform you that Purchase Order No. <u>77849</u> as a result of <u>Public Bidding</u> for the Procurement of <u>One (1) Lot Supply and Delivery of reagents/consumables under Reagent <u>Tie-up Agreement for three (3) years for Methotrexate</u> has been approved.</u>

You may now proceed with the delivery of items listed in the attached Purchase Order within seven (7) working days from receipt of this notice and/or Delivery Order Slip for Staggered Delivery.

MARIA EVA I. JOPSON, MD, MScHSM, MPM OIC, Executive Director

CONFORME: Received Original

Signature Over Printed Name Authorized Representative

Date: _____

