



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Biddings**

TO: Supplier/Dealer Contractor: **CRESTEVE IT TECH SOLUTIONS**
Address: **18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City**
Email Add: **cre8teve.ph@gmail.com**

Department/Office/Division/Section/Unit where delivery
Is to be made: **Materials Management Division**
Location: **Ground Floor, PCMC Bldg**
Special Instruction

Delivery period: 60 Calendar Days Other Terms:
Performance Security Posted: **Pacific Union Insurance Co.**
☐ Cash ☐ Bank Guarantee ☒ Security Bond **24 April 2025**
No: **6(12) - 34003182** Amount P: **3,207,894.00**

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
	1	lot	Supply, Delivery, Installation and Testing of Network Infrastructure Cabling for PCMC Main Building Brand: Telegartner	10,692,982.00	10,692,982.00
1	4	sets	A. Specifications of the Main Equipment Fiber Optic Module Carrier 3HU : P/N: 100022161 >> 19" FO Module Carrier 3 HU / 84 PU 1. Form Factor: 19-inch Rack Mount : 19" 3HU 12 slots subrack 2. Height: 3U 3. Construction: Chassis is made of anodized aluminum 4. Capacity: Up to 84 sub-units (built-in modules) 5. Module Mounting: Modular rails at the front and rear with 5.08mm screw pitch 6. Guide Rails: 24 pcs black plastic guide rails locked in place at the top and bottom 7. Other: Includes Base plate, cover and side walls made of Aluminum		
2	42	sets	Fiber Optic Module Carrier 1HU : P/N: 100021750 >> Fiber Optic Module Carrier 1HU 1. Form Factor: 19-inch Rack Mount 2. Height: 1U 3. Capacity: Up to 3 fiber optic modules (3U/7TE) 4. Cable Management: Double cable interception per module 5. Module Mounting: Minimum 2 screws per module 6. Guide Plates: Integrated for fiber optic modules 7. Installation Depth: Maximum 285mm 8. Module Support Material: Steel, powder coated 9. Carrier Color: Light gray 10. Cable Ties: Minimum 6 included		
3	66	pcs	Fiber Optic Module for MDF, IDF, MDF-Redundant, IDF-Redundant : P/N: 1000022615 1. Form Factor: 3U/7TE 2. Mounting: Screw mountable into a fiber optic		

Funding Code

TOTAL AMOUNT P 10,692,982.00

FUNDS AVAILABLE:

LEA M. VILLALOBOS, DBA, CPA
Chief Accountant

APPROVED:

MARIA EVA I. JOPSON, MD, MSCHSM, MPM
OIC Executive Director

PR No: **MISD-2024-09-02**
Abstract of Canvass/Bids: **2025-012**
BAC Resolution No: **R2025-03-187**

NOA No: **NOA-2025-089**
NTP No: **NTP-PROC-2025-216**
PhilGEPS Ref No: **11422685**
AMRP No: **2024-561**

CERTIFICATION

This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable

Signature over printed name
Date:

Distribution: Original - Attachment to payment
Duplicate - Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: 78243
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: Negotiated - Two Failed Bidding

TO: Supplier/Dealer Contractor: **CRE8TEVE IT TECH SOLUTIONS**
Address: **18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City**
Email Add: **cre8teve.ph@gmail.com**

Department/Office/Division/Section/Unit where delivery
Is to be made: **Materials Management Division**
Location: **Ground Floor, PCMC Bldg**
Special Instruction
Delivery period: 60 Calendar Days Other Terms: _____
Performance Security Posted:
☐ Cash ☐ Bank Guarantee ☐ Security Bond
No: _____ Amount P: _____

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
4	6300	lms	<p>assembly carrier ✓</p> <p>3. Splice Cassette: Screw-mounted, with lid ✓</p> <p>4. Front Panel: Removable, aluminum (15mm, anodized) ✓</p> <p>5. Couplings: Minimum 6 LC duplex couplings, Singlemode compatible: Minimum 6 LC duplex couplings, OS2 compatible ✓</p> <p>6. Pigtaills: ✓</p> <ul style="list-style-type: none">- Fiber Type: IEC 60793-2-10 compliant ✓- Secondary Coating: Colored, max, 900um ✓- Crush Resistance: Minimum 1000N/m ✓- Damping: Maximum 1.0dB/km at 1300nm ✓- Bandwidth: Minimum 1500 MHz x km at 850nm ✓- Connector: LC according to IEC61754-4 ✓- Ferrule: Zirconia ceramic ✓- Return loss: ≥ 45 dB ✓- Color Coding: 12 colors according to IEC 60304 ✓ <p>Dust Covers: Included for coupling and pigtail ends ✓</p> <p>Fiber Optic Cable (2 x 3150 lms) ✓</p> <p>1. 12 Core: The cable contains 12 individual optical fibers, allowing for 12 simultaneous data transmission channels. ✓</p> <p>2. Outdoor: The cable is designed and constructed to withstand outdoor environmental conditions such as moisture, temperature, fluctuations, and UV exposure. ✓</p> <p>3. Non-Armored: The cable lacks additional protective armoring, making it more flexible and easier to install. ✓</p> <p>4. Unitube Fiber: The 12 fibers are housed within a single protective tube (unitube) within the cable structure, simplifying cable management and installation. ✓</p> <p>5. Backbone: This designates the cable's intended use for primary network connections, providing high-capacity data transmission between central network hubs or buildings. ✓</p> <p>6. OS2 Single Mode Compatible: The fibers are</p>		

Funding Code

TOTAL AMOUNT P 10,692,982.00

FUNDS AVAILABLE:

LEA M. VILLALOBOS, DBA, CPA
Chief Accountant

APPROVED:

MARIA EVA J. JOPSON, MD, MScHSM, MPM
OIC Executive Director

☐ PR No: **MISD-2024-09-02**
☐ Abstract of Canvass/Bids: **2025-012**
☐ BAC Resolution No: **R2025-03-187**

☐ NOA No: **NOA-2025-089**
☐ NTP No: **NTP-PROC-2025-216**
☐ PhilGEPS Ref No: **11422685**
☐ AMRP No. **2024-561**

CERTIFICATION

This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable

Signature over printed name

Date:

Distribution: Original - Attachment to payment
Duplicate - Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Bidding**

TO: Supplier/Dealer Contractor: **CRE8TEVE IT TECH SOLUTIONS**
Address: **18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City**
Email Add: **cre8teve.ph@gmail.com**

Department/Office/Division/Section/Unit where delivery
Is to be made: **Materials Management Division**
Location: **Ground Floor, PCMC Bldg**
Special Instruction
Delivery period: 60 Calendar Days Other Terms:
Performance Security Posted:
☐ Cash ☐ Bank Guarantee ☐ Security Bond
No: Amount P:

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
			compatible with OS2 Singlemode fiber standards, ensuring support for highbandwidth applications like 10 Gigabit Ethernet over significant distances . 7. 10 Gig: The cable is specifically designed and tested to support 10 and 40 Gigabit Ethernet data transmission speeds. . 8. The cable is versatile and can be used in various network setups, including patch cords for short connections, patch panels for organized cable management, and wire managers for cable routing and protection. .		
5	576	sets	Duplex Adaptor Cord: P/N: 100011325 >> Duplex Adaptor Cord 1. Connector 1: LC Duplex 2. Connector 2: LC Duplex 3. Fiber Type: Singlemode 4. Fiber Standard: OS2 5. Length: 2.0 meters		
6	42	pcs	Dummy Plate for 3HU/7PU Cabinet: P/N: 100021447 >> Dummy Plate for 3HU/7PU Cabinet . 1. Material Housing: sheet steel 1 mm, powder-laminated, light grey RAL 7035 . 2. Finish: Powder-coated to resist corrosion and enhance aesthetics. . 3. Mounting: Fit securely into the designated rack slots using screws or other mounting mechanisms. .		
7	50	pcs	Cat6a Patch Panel, Shielded (Data and AP Cabling): P/N: 100021505 >> Cat6a Patch Panel, Shielded (Data and AP Cabling) . 1. Mounting: 19-inch Rack Mount . 2. Orientation: The front patch panel fascia frame is 180 degree straight . 3. Construction: Made of metal with integrated cable management . 4. Port Layout: Two rows, staggered .		

Funding Code TOTAL AMOUNT P 10,692,982.00

FUNDS AVAILABLE:

LEA M. VILLALOBOS, DBA, CPA
Chief Accountant

APPROVED:

MARIA EVA I. JOPSON, MD, MScHSM, MPM
OIC Executive Director

- ☐ PR No: MISD-2024-09-02
☐ Abstract of Canvass/Bids: 2025-012
☐ BAC Resolution No: R2025-03-187
☐ NOA No: NOA-2025-089
☐ NTP No: NTP-PROC-2025-216
☐ PhilGEPS Ref No: 11422685
☐ AMRP No. 2024-561

CERTIFICATION

This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable

Signature over printed name

Date:

Distribution: Original - Attachment to payment
Duplicate - Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: Negotiated - Two Failed Bidding

TO: Supplier/Dealer Contractor: CRESTEVE IT TECH SOLUTIONS
Address: 18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City
Email Add: cre8teve.ph@gmail.com

Department/Office/Division/Section/Unit where delivery Is to be made: Materials Management Division	Delivery period: 60 Calendar Days Other Terms: _____
Location: Ground Floor, PCMC Bldg	Performance Security Posted: <input type="checkbox"/> Cash <input type="checkbox"/> Bank Guarantee <input type="checkbox"/> Security Bond
Special Instruction	No: _____ Amount P: _____

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
14	1	lot	<div>4. Load Capacity: 300 lbs (136.1 kg) \</div> <div>5. Certifications: CE complaint \</div> <div>6. Standards: Adhere to EIA-310 standard \</div> <div>7. Accessories: Optional shelves and cable management trays \</div> <div>Grounding and Bonding \</div> <div>1. Communications Earthing System(CES) \</div> <div>- Purpose: Dual-purpose for functional and protective earthing of telecommunications equipment \</div> <div>- Design Standards: IEC 60364, ISO/IEC 14763-2 \</div> <div>- Independence: Installed separately from building's electrical and building ground \</div> <div>- Earthing Conductors: \</div> <div>Minimum size: 6 mm² \</div> <div>Insulation: Green/yellow \</div> <div>- Communications Earthing Terminal (CET) Block \</div> <div>2. Location: Within 10 meters of equipment frames/cabinets \</div> <div>Proximity: Near an electrical switchboard \</div> <div>- Communications Bonding Conductor: \</div> <div>Connects CET to electrical protective earth \</div> <div>Minimum size: 6 mm² \</div> <div>Insulation: Green/yellow \</div> <div>Maximum resistance: 0.5 ohms \</div> <div>- Metallic Pathway Earthing: \</div> <div>Conductor size: 2.5 mm² \</div> <div>Insulation: Green/yellow \</div> <div>3. Connection: To building and/or electrical protective earth \</div> <div>4. Installation and Termination: \</div> <div>- Contractor Responsibility: Supply and install CES conductors, CET blocks, and earthing conductors up to the protective earthing point \</div> <div>- Licensed Electrician: Required for terminations at the electrical protective earth at an electrical switchboard \</div>		

Funding Code	TOTAL AMOUNT P 10,692,982.00
--------------	-------------------------------------

FUNDS AVAILABLE: LEA M. VILLALOBOS, DBA, CPA Chief Accountant APPROVED: MARIA EVA I. JOPSON, MD, MScHSM, MPM OIC Executive Director	<input type="checkbox"/> PR No: MISD-2024-09-02 <input type="checkbox"/> Abstract of Canvass/Bids: 2025-012 <input type="checkbox"/> BAC Resolution No: R2025-03-187 <input type="checkbox"/> NOA No: NOA-2025-089 <input type="checkbox"/> NTP No: NTP-PROC-2025-216 <input type="checkbox"/> PhilGEPS Ref No: 11422685 <input type="checkbox"/> AMRP No: 2024-561	CERTIFICATION This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable _____ Signature over printed name Date:
--	--	---

Distribution:	Original - Attachment to payment
	Duplicate - Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Bidding**

TO: Supplier/Dealer Contractor: **CRE8TEVE IT TECH SOLUTIONS**
Address: **18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City**
Email Add: **cre8teve.ph@gmail.com**

Department/Office/Division/Section/Unit where delivery
Is to be made: **Materials Management Division**
Location: **Ground Floor, PCMC Bldg**
Special Instruction

Delivery period: 60 Calendar Days Other Terms:
Performance Security Posted:
☐ Cash ☐ Bank Guarantee ☐ Security Bond
No: Amount P:

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
			separator (spline), 5. Shielding: - Individual Pair: 2 cores to the pair Aluminum-laminated Plastic foil - Overall: Copper drain wire + LSZH (Low Smoke Zero Halogen) jacket, 6. Outer Diameter: 7.0 ± 0.2 mm : Flange diameter d1: 350 mm 7. Electrical Performance: Test voltage (DC, 60 sec.) (core/core): 1000 V, - Meets or exceeds Cat6a standards (ISO.IEC 11801, etc.), Design specification: EN 50288-10-1, EN 50174-2, IEC 14763-2, IEC 61156-5; EN 50575+A1, - Suitable for 10 Gigabit Ethernet and other high-speed applications : 10Base-T; 100BaseT; 1000Base-T; 2.5GBase-T; 5GBase-T; 10GBase-T		
12	2	sets	Data Cabinet, MDF-42RU 1. Dimensions: 42U x 19" x 800mm (depth) 2. Construction: Welded steel frame with perforated front and rear doors 3. Features: Adjustable mounting rails, cable management, locking doors, grounding provisions, 2 x 120mm exhaust fans (top mounted) 4. Load Capacity: 1000 lbs (453.6 kg) 5. Certifications: CE complaint 6. Standards: Adhere to EIA-310 standard 7. Accessories: optional shelves, PDUs, and cable management trays		
13	21	sets	Data Cabinet, IDF-15RU 1. Dimensions: 15U x 19" x 600mm (depth) 2. Construction: Welded steel frame with perforated front and rear doors 3. Features: Adjustable mounting rails, cable management, locking doors, grounding provisions		

Funding Code

TOTAL AMOUNT P 10,692,982.00

FUNDS AVAILABLE:

LEA M. VILLALOBOS, DBA, CPA
Chief Accountant

APPROVED:

MARIA EVA I. JOPSON, MD, MSCHSM, MPM
OIC Executive Director

☐ PR No: **MISD-2024-09-02**
☐ Abstract of Canvass/Bids: **2025-012**
☐ BAC Resolution No: **R2025-03-187**

☐ NOA No: **NOA-2025-089**
☐ NTP No: **NTP-PROC-2025-216**
☐ PhilGEPS Ref No: **11422685**
☐ AMRP No: **2024-561**

CERTIFICATION

This is to certify that I received today the Original
copy of this Purchase Order, and held the
Company bound by the terms and stipulation of
the contract and other laws applicable

Signature over printed name

Date:

Distribution: Original - Attachment to payment
Duplicate - Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Bidding**

TO: Supplier/Dealer Contractor: **CRE8TEVE IT TECH SOLUTIONS**
Address: **18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City**
Email Add: **cre8teve.ph@gmail.com**

Department/Office/Division/Section/Unit where delivery
Is to be made: **Materials Management Division**
Location: **Ground Floor, PCMC Bldg**
Special Instruction
Delivery period: 60 Calendar Days Other Terms:
Performance Security Posted:
☐ Cash ☐ Bank Guarantee ☐ Security Bond
No: Amount P:

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
10	956	pcs	6. With Label Holder ✓ 7. Outlet Mounting: Detachable, 45 degree angled with dust cover ✓ 8. Material: Made of ABS UL94V-0 material ✓ 9. Shutter: Spring-loaded ✓ 10. Finish: Glossy White ✓		
	680	pcs	Cat6a Patch Cable, Shielded (1.5m) ✓ Cat6a Patch Cable, Shielded (3m) ✓ 1. Type: Cat7 S/FTP (Screened Foiled Twisted Pair) ✓ 2. Connector standard: IEC 60603-7-51 ✓ 3. Boot: 90° / 180° / 270° moulded boot with latch protection ✓ 4. Performance: ✓ - 10 Gigabit Ethernet: acc. to IEEE 802.3 an ✓ - Class EA: acc. to ISO/IEC 11801, EN 50173-1 ✓ - Category 6A: acc. ANSI/TIA-568.2-D ✓ 5. Cable Construction: Li-02YSCH 4x2xAWG27/7 ✓ - Construction: S/FTP Cat 7 ✓ - Jacket: Cable jacket and strain relief boot LSZH ✓ 6. Shielding: 360 degrees completely surround plug shielding ✓ 7. PoE application standards: PoE+ ac. IEEE 802.3at, 4PPoE acc. IEEE 802.3bt ✓ 8. Certification: GHMT Premium Verification Program (PVP) UL Listed, ref. E244889 ✓		
11	40,800	lms	Cat6a U/UTP Cable for Horizontal Data Cabling (Color Blue) ✓		
	8,280	lms	Cat6a U/UTP Cable for Horizontal AP Cabling (Color Orange) ✓ 1. Type: U/UTP (Screened Foiled Twisted Pair) ✓ 2. Category: Cat6a ✓ 3. Conductor: ✓ - Bare copper wire, Ø 0.56 mm (AWG23/1) ✓ - Gauge: UMJ 500 U/UTP AWG23/1 Cat.6A LSZH Dea-s2,d2,a1 ✓ 4. Number of Pairs: 4 pairs and a non metallic cross ✓		

Funding Code
TOTAL AMOUNT P 10,692,982.00

FUNDS AVAILABLE:
LEA M. VILLALOBOS, DBA, CPA
Chief Accountant
APPROVED:
MARIA EVA I. JOPSON, MD, MSCHSM, MPM
OIC Executive Director
☐ PR No: MISD-2024-09-02
☐ Abstract of Canvass/Bids: 2025-012
☐ BAC Resolution No: R2025-03-187
☐ NOA No: NOA-20 25-089
☐ NTP No: NTP-PROC-2025-216
☐ PhilGEPS Ref No: 11422685
☐ AMRP No. 2024-561
CERTIFICATION
This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable
Signature over printed name
Date:

Distribution: Original - Attachment to payment
Duplicate - Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Bidding**

TO: Supplier/Dealer Contractor: CRE8TEVE IT TECH SOLUTIONS
Address: 18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City
Email Add: cre8teve.ph@gmail.com

Department/Office/Division/Section/Unit where delivery Is to be made: Materials Management Division	Delivery period: 60 Calendar Days Other Terms: _____
Location: Ground Floor, PCMC Bldg	Performance Security Posted: <input type="checkbox"/> Cash <input type="checkbox"/> Bank Guarantee <input type="checkbox"/> Security Bond
Special Instruction	No: _____ Amount P: _____

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
			<p>C. Safety Requirements</p> <ol style="list-style-type: none">1. Compliance with Philippine Standards from DTI and DICT. As per Philippine Standard2. Electrical safety standards. As per Philippine Standard3. Fire safety standards. As per Philippine Standard4. General safety and labeling. As per Philippine Standard5. Occupational safety and health standards. As per Philippine Standard <p>D. Warranty</p> <ol style="list-style-type: none">1. The structured cabling system, encompassing cables, connectors, patch panels, and associated hardware, is covered by A 3-year warranty. Workmanship related to the installation and setup is guaranteed for a period of 3 years.2. Semi Annual Preventive Maintenance Services for the structured cabling system (see TOR), comply as per TOR <p>E. Others</p> <ol style="list-style-type: none">1. Physical Connectivity: Design and implement physical pathways, such as wireways and conduits, to establish direct connections among the network devices, servers and end user devices in the PCMC main building, including the data center, as per TOR reference standard3. Structured cabling installation, testing, and commissioning services. Includes cable routing, termination, equipment setup, network verification, and site restoration. To be done by CRE8TEVE IT TECH SOLUTIONS.4. Structured cabling implementation for hospital infrastructure. Adhere to international standards, use high-quality, green-compliant materials, ensure proper installation & testing, and prioritize energy efficiency & recyclability. Design and implement the system to meet the unique demands of a hospital environment,		

Funding Code	TOTAL AMOUNT P 10,692,982.00
--------------	-------------------------------------

FUNDS AVAILABLE: LEA M. VILLALOBOS, DBA, CPA Chief Accountant APPROVED: MARIA EVA I. JOPSON, MD, MScHSM, MPM OIC Executive Director	<input type="checkbox"/> PR No: MISD-2024-09-02 <input type="checkbox"/> Abstract of Canvass/Bids: 2025-012 <input type="checkbox"/> BAC Resolution No: R2025-03-187 <input type="checkbox"/> NOA No: NOA-2025-089 <input type="checkbox"/> NTP No: NTP-PROC-2025-216 <input type="checkbox"/> PhilGEPS Ref No: 11422685 <input type="checkbox"/> AMRP No. 2024-561	CERTIFICATION This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable _____ Signature over printed name Date:
--	--	---

Distribution:	Original - Attachment to payment
Duplicate -	Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Bidding**

TO: Supplier/Dealer Contractor: **CRE8TEVE IT TECH SOLUTIONS**
Address: **18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City**
Email Add: **cre8teve.ph@gmail.com**

Department/Office/Division/Section/Unit where delivery
Is to be made: **Materials Management Division**
Location: **Ground Floor, PCMC Bldg**
Special Instruction

Delivery period: 60 Calendar Days Other Terms: _____
Performance Security Posted:
☐ Cash ☐ Bank Guarantee ☐ Security Bond
No: _____ Amount P: _____

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
			<p>such as high bandwidth requirements, electromagnetic interference (EMI) concerns, and 24/7 operation, as per PCMC standard \</p> <p>F. With duly notarized certificate from Bidder - CRE8TEVE IT TECH SOLUTIONS \</p> <p>Certifies that</p> <p>i. That parts, accessories and consumables are readily available at the authorized Philippine service center's for a period of five (5) years after the warranty period; \</p> <p>ii. That it has available competent in-house technical specialist in handling and providing technical support as well as maintenance of the equipment being offered; \</p> <p>iii. That it will conduct training for proper operation and maintenance to end-users of the equipment upon delivery; and \</p> <p>iv. That it will provide replacement/back-up unit while the delivered unit is being repaired. \</p> <p>v. Consumer guidelines regarding disposal of the equipment (information about how and where the used and decommissioned products/parts can be returned for recycling and/or disposal (e.g. buy-back program of the product after end of useful life). \</p> <p>vi. All the terms and conditions stated in the bidding documents per IRR of RA 9184 and corresponding contract for the project shall be honored by the Principal Manufacturer, including in the event that a change dealership will occur during the duration of the contract up to the warranty and preventive maintenance period; \</p> <p>vii. The expected useful life of the equipment under normal use (indicate normal capacity, i.e. number of patients, operating hours, other considerations); \</p> <p>viii. Guarantee on availability of all spare parts, accessories and consumables at least for the next five (5) years from testing, commissioning, acceptance and delivery; \</p>		

Funding Code **TOTAL AMOUNT P 10,692,982.00**

FUNDS AVAILABLE:

LEA M. VILLALOBOS, DBA, CPA
Chief Accountant

APPROVED:

MARIA EVA I. JOPSON, MD, MScHSM, MPM
OIC Executive Director

☐ PR No: MISD-2024-09-02
☐ Abstract of Canvass/Bids: 2025-012
☐ BAC Resolution No: R2025-03-187

☐ NOA No: NOA-2025-089
☐ NTP No: NTP-PROC-2025-216
☐ PhilGEPS Ref No: 11422685
☐ AMRP No. 2024-561

CERTIFICATION

This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable

Signature over printed name

Date:

Distribution: Original - Attachment to payment
Duplicate - Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Bidding**

TO: Supplier/Dealer Contractor: CRE8TEVE IT TECH SOLUTIONS
Address: 18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City
Email Add: cre8teve.ph@gmail.com

Department/Office/Division/Section/Unit where delivery is to be made: Materials Management Division	Delivery period: 60 Calendar Days Other Terms: _____
Location: Ground Floor, PCMC Bldg	Performance Security Posted: <input type="checkbox"/> Cash <input type="checkbox"/> Bank Guarantee <input type="checkbox"/> Security Bond
Special Instruction	No: _____ Amount P: _____

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
			<p>ix. That it has competence in handling and providing technical support as well as maintenance of the equipment being offered; and</p> <p>x. Consumer guidelines regarding disposal of the equipment (information about how and where the used and decommissioned products/parts can be returned for recycling and/or disposal (e.g. buy-back program of the product after end of useful life).</p> <p>G. With duly notarized certificate from Principal Manufacturer- Telegartner Karl Gartner GmbH</p> <p>i. Will provide Twenty Five (25) Years End to End System Warranty with terms and conditions apply as outlined in the telegartner Warranty Declaration & Warranty Declaration for Class E, Category 6 link: https://www.telegaertner.com/fileadmin/user_upload/Downloads/Systemgarantie_DataVoice/Telegaertner_DataVoice_PLUS_25_system_warranty_document_11801-ClassE.pdf</p> <p>Warranty Declaration for Class EA, Category 6a link: https://www.telegaertner.com/fileadmin/user_upload/Downloads/Systemgarantie_DataVoice/Telegaertner-system-warranty-declaration-ClasseA.pdf</p> <p>ii. The distributor Cre8teve IT Tech Solutions is authorized to install Telegartner Data Voice connectivity systems covered under 25 years extended permanent Link system performance warranty.</p> <p>iii. The responsibility for handling used and decommissioned products, including recycling and disposal lies with the System Integrator. This includes any buy-back programs or return mechanism at the end of the products's useful life.</p> <p>H. Signed Conforme for PCMC's Scope of Works and Terms of Reference</p>		

Funding Code	TOTAL AMOUNT P 10,692,982.00
--------------	-------------------------------------

FUNDS AVAILABLE: LEA M. VILLALOBOS, DBA, CPA Chief Accountant APPROVED: MARIA EVA I. JOPSON, MD, MSCHSM, MPM OIC Executive Director	<input type="checkbox"/> PR No: MISD-2024-09-02 <input type="checkbox"/> Abstract of Canvass/Bids: 2025-012 <input type="checkbox"/> BAC Resolution No: R2025-03-187 <input type="checkbox"/> NOA No: NOA-2025-089 <input type="checkbox"/> NTP No: NTP-PROC-2025-216 <input type="checkbox"/> PhilGEPS Ref No: 11422685 <input type="checkbox"/> AMRP No. 2024-561	CERTIFICATION This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable _____ Signature over printed name Date:
--	---	---

Distribution:	Original - Attachment to payment
Duplicate -	Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Bidding**

TO: Supplier/Dealer Contractor: **CRESTEVE IT TECH SOLUTIONS**
Address: **18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City**
Email Add: **cre8teve.ph@gmail.com**

Department/Office/Division/Section/Unit where delivery
Is to be made: **Materials Management Division**
Location: **Ground Floor, PCMC Bldg**
Special Instruction

Delivery period: 60 Calendar Days Other Terms: _____
Performance Security Posted:
☐ Cash ☐ Bank Guarantee ☐ Security Bond
No: _____ Amount P: _____

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
8	956	pcs	5. Port Labeling: Ports labeled 1 to 24 on panel, 6. Port Angling: 15-degree exit, alternating left/right, 7. Port Capacity: 24, 8. Grounding kit: E-Cu PVC insulated braid cable AWG18, 9. Mounting: Recess or flush mount compatible, 10. Finishing: Black RAL 9005, Cat6a Telecom Outlet, Shielded (Work Area Side and Equipment Side): P/N: 1000023210 >> Cat6a Telecom Outlet, Shielded (Work Area Side and Equipment Side), 1. Connector Standard: IEC 60603-7-51, 2. Performance: - Supports 10 Gigabit Ethernet acc. IEEE 802.3 an - Category 6A (component) acc. to ISO/IEC 11801: DIN EN 50173-1, - Achieves Class EA (Permanent link) acc. to ISO/IEC 11801: DN EN 50173-1Class EA (Channel link) acc. to ISO/IEC 11801: DN EN 50173-1, - Compatible with Power over Ethernet (PoE): PoE acc. IEEE 802.af, PoE+ acc. IEEE 802.3at, 4PPoE acc. IEEE 802.3bt, 3. Features: - Optimized contact design to avoid spares in the area, - Safe-lock multi-purpose locking mechanism, - Accepts RJ45, RJ12 and RJ11 plugs, - Gas tight 45 degree IDC contact technology, - Built-in Cable strain relief detenting clamp locks, - RoHS complaint: Directive 2011/65 EU RoHS,		
9	680	pcs	Faceplate: Faceplate Angle Type 1. Form Factor: Double Gang 2. Dimensions: 70 mm x 115 mm 3. Style: UK and US 4. Frame: Beveled 5. Number of Outlets: Choice of 1, 2 outlets		

Funding Code

TOTAL AMOUNT P 10,692,982.00

FUNDS AVAILABLE:

LEA M. VILLALOBOS, DBA, CPA
Chief Accountant

APPROVED:

MARIA EVA I. JOPSON, MD, MScHSM, MPM
OIC Executive Director

☐ PR No: **MISD-2024-09-02**
☐ Abstract of Canvass/Bids: **2025-012**
☐ BAC Resolution No: **R2025-03-187**

☐ NOA No: **NOA-2025-089**
☐ NTP No: **NTP-PROC-2025-216**
☐ PhilGEPS Ref No: **11422685**
☐ AMRP No: **2024-561**

CERTIFICATION

This is to certify that I received today the Original
copy of this Purchase Order, and held the
Company bound by the terms and stipulation of
the contract and other laws applicable

Signature over printed name

Date:

Distribution: Original - Attachment to payment
Duplicate - Procurement/Materials Management Division



Republic of the Philippines
PHILIPPINE CHILDREN'S MEDICAL CENTER
Quezon Avenue, Quezon City
Tel. No.: 8588-9900 Loc. 1329, 1330, 1331, 1332
Fax No.: 85889997 • E-mail: bac@pcmc.gov.ph

PURCHASE ORDER: **78243**
Date of P.O.: **2025-04-16**
PR NO: **MISD-2024-09-02** Dated: **2024-09-02**
MODE OF PROCUREMENT: **Negotiated - Two Failed Bidding**

TO: Supplier/Dealer Contractor: **CRE8TEVE IT TECH SOLUTIONS**
Address: **18-C Rosal St, La Unican Hija Subd., Brgy. Mayamot, Antipolo City**
Email Add: **cre8teve.ph@gmail.com**

Department/Office/Division/Section/Unit where delivery
Is to be made: **Materials Management Division**
Location: **Ground Floor, PCMC Bldg**
Special Instruction

Delivery period: 60 Calendar Days Other Terms: _____
Performance Security Posted:
☐ Cash ☐ Bank Guarantee ☐ Security Bond
No: _____ Amount P: _____

Item No	QTY	UNIT	ARTICLES	UNIT COST	TOTAL COST
			<p>I. Delivery Period: Within Sixty (60) Calendar days upon receipt of Purchase Order/Notice to Proceed \</p> <p>***Nothing Follows***</p> <p>For the use of MANAGEMENT INFORMATION SYSTEMS DIVISION</p>		

Penalty Clause for Delayed or Unsatisfactory Deliveries:
1. One-tenth (1/10) of one percent (1%) of the cost of unperformed portion for everyday of delay. Once the cumulative amount of liquidated damages reaches 10% of the amount of the contract, the Procuring Entity may rescind or terminate the contract, without prejudice to other courses of action and remedies available under the circumstances.
2. Excess in price, if procured from third parties, through alternative mode of procurement; and
3. In case of bidding, forfeiture of performance security equal to 5% of the undelivered item/s.

Funding Code **10603 000 MRA12023** **4/25/25** **TOTAL AMOUNT P 10,692,982.00**

FUNDS AVAILABLE: **10,692,982.00** Attachment

LEA M. VILLALOBOS, DBA, CPA
Chief Accountant

APPROVED: **Maria Eva J. Jopson, MD, MSCHSM, MPM**
OIC Executive Director

PR No: MISD-2024-09-02
Abstract of Canvass/Bids: **2025-012**
BAC Resolution No: **R2025-03-187**

NOA No: **NOA-2025-089**
NTP No: **NTP-PROC-2025-216**
PhilGEPS Ref No: **11422685**
AMRP No: **2024-561**

CERTIFICATION
This is to certify that I received today the Original copy of this Purchase Order, and held the Company bound by the terms and stipulation of the contract and other laws applicable

Signature over printed name
Date:

Distribution: Original - Attachment to payment
25-1136 SP Duplicate - Procurement/Materials Management Division



Republic of the Philippines
DEPARTMENT OF HEALTH
PHILIPPINE CHILDREN'S MEDICAL CENTER

Quezon Avenue, Quezon City 1100
website: www.pcmc.gov.ph email: officeofthedirector@pcmc.gov.ph
Trunk Line: 8588-9900 to 20 Direct Line: 8924-6601

**NOTICE TO PROCEED
NTP-PROC-2025-216**

April 16, 2025

CRE8TEVE IT TECH SOLUTIONS
18-C Rosal St, La Unican Hija Subd.
Brgy. Mayamot, Antipolo City
Email Add: cre8teve.ph@gmail.com

Sir / Madam:

This is to inform you that Purchase Order No. 78243, as a result of Negotiated – Two Failed Biddings for the purchase of One (1) Lot Supply, Delivery, Installation and Testing of Network Infrastructure Cabling for PCMC Main Building, has been approved.

You may now proceed with the delivery of the items listed in the attached Purchase Order **within Sixty (60) Calendar days** from the receipt of this Notice.

Thank you.

Very truly yours,


MARIA EVA I. JOPSON, MD, MSChSM, MPM
OIC-Executive Director 

CONFORME:
Received Original

Signature over Printed Name
Authorized Representative

Date: _____

